




**"Comprehensive Agricultural Machinery  
Supply and Expert Service Solutions for  
Modern Farming"**

 [radhe\\_enterprise\\_7128](https://www.instagram.com/radhe_enterprise_7128)

 [RadheEnterprise 7128](https://www.youtube.com/RadheEnterprise7128)

 9173141806 / 9265749618

 [radheenterprise7128@gmail.com](mailto:radheenterprise7128@gmail.com)

 4, Karm Bhumi Ind. Estate, Nr. Bakrol, Dhamatvan  
Road, Bakrol, Ahmedabad-382430

# Battery Sprayer BS-13

## Specification:

### Model:- BS-13

MOTOR:- 3.6 LTR AUTO CUT  
PRESSURE:- 90 PSI  
CHARGER:-1.7 AMP  
NOZZLE:- 3 KIND PLASTIC NOZZLE  
LANCE:- STEEL WITH TOP BRASS NUT  
BOX:- 5 LAYER COLOR BOX  
BATTERY WEIGHT:- 3 KG TO 3.1 KG  
DELIVERY:- 1 MTR LENGTH  
CAPACITY:- 16 / 18 LTR  
BATTERY TYPE:- 12V 12AH  
SIZE:- 38.2\*21\*48.5CM  
N.W(KG):- 6.5 KG  
G.W(KG):- 7.5 KG



### Battery Sprayer IM-12



## Specification:

### Model:- IM-12

MOTOR:- 3.6 LTR AUTO CUT  
PRESSURE:- 80 PSI  
CHARGER:- 1.1 AMP  
NOZZLE:- 3 KIND PLASTIC NOZZLE  
LANCE:- STEEL WITH TOP BRASS NUT  
BOX:- 5 LAYER COLOR BOX  
BATTERY:- 2 KG TO 2.1 KG  
DELIVERY:- 1 MTR LENGTH  
CAPACITY:- 16/18 LTR  
BATTERY TYPE:- 12V 8AH  
SIZE:- 38.2\*21\*48.5CM  
N.W(KG):- 5.5 KG  
G.W(KG):- 6.5 KG

## Specification:

- Model No : 4ST-35SP
- Power : 1 kw
- Fuel Used : Petrol
- Displacement : 35 cc
- Stroke : 4
- Fuel Tank Capacity : 1 L
- Fuel Consumption : 1 L / hr.
- Speed : 7000 RPM
- Fuel Used : Petrol
- Fuel Tank Capacity : 850ml
- Fuel Consumption : 700 ML to 1200 ML Per Hour  
(Results may vary based on usage)
- Engine oil : 80 ml (20w40Gra

## 4 Stroke Side Pack Brush Cutter 35cc



## 4 Stroke Side Pack Brush Cutter 50cc

## Specification:

- Model : 4ST-50SP
- Power : 2 hp
- Fuel Used : Petrol
- Displacement : 50 cc
- Stroke : 4
- Fuel Tank Capacity : 1 L
- Fuel Consumption : 600 ml/hr. (Approx.)
- Number of Stroke : 4 Stroke
- Fuel Type : Petrol
- Engine Speed : 7000 rpm
- Shaft Size : 28 mm
- Starter : Recoil
- Air Cleaner : Semi Dry
- Weight (Brush Cutter) : 10 Kg (approx.)



## Specification:

- Model : 4ST-35BP
- Power : 1.2 hp
- Fuel Used : Petrol
- Displacement : 35 cc
- Stroke : 4
- Weight (Approx.) : 12 kg
- Engine Type : GX-35
- Fuel Tank Capacity : 900 ml
- Shaft Size : 26 mm
- Fuel Consumption : 700 ML to 1200 ML /H  
(Results may vary based on usage)
- Power Source : Petrol
- Engine Oil : 80 ml (20w40 Grade)
- Max. Output : 7000 RPM
- Weight : 11 kg (Approx.)

## 4 Stroke Back Pack Brush Cutter 35cc



## 2 Stroke Back Pack Brush Cutter 52cc



## Specification:

- Model: 2ST-52SP
- Power : 1.95 hp
- Fuel Used : Petrol
- Displacement : 52 cc
- Stroke : 2
- Weight (Approx.) : 11 kg
- Engine Speed : 6500 RPM
- Fuel tank capacity : 900 ml
- Fuel Consumption : 800 ML to 1250 ML Per Hour (Results may vary based on usage)
- Suitable for : 52 cc Brush Cutter
- Oil (Mixing) : 40 ml - 60 ml 2T oil in 1L of Petrol

## Specification:

- Model: 2ST-52BP
- Power : 1.5 kw
- Fuel Used : Petrol
- Displacement : 52 cc
- Stroke : 2
- Weight (Approx.) : 12 kg
- Revolving Diameter : 420 mm
- Starting System : Recoil Starter
- Fuel Tank Capacity : 1200ml
- Fuel Consumption : 800 ML to 1250 ML Per Hour  
(Results may vary based on usage)
- Oil (Mixing) : 40 ml - 60 ml 2T oil in 1L of Petrol
- Blades : 80T, 2T & Tap n Go (Nylon Trimmer)

## 2 Stroke Back Pack Brush Cutter 52cc



## 2 Stroke Side Pack Brush Cutter 52cc



## Specification:

- Model: 2ST-52SP
- Power : 1.5 kw
- Fuel Used : Petrol
- Displacement : 52 cc
- Stroke : 2
- Weight (Approx.) : 12 kg
- Revolving Diameter : 420 mm
- Starting System : Recoil Starter
- Fuel Tank Capacity : 1200ml
- Fuel Consumption : 800 ML to 1250 ML Per Hour  
(Results may vary based on usage)
- Oil (Mixing) : 40 ml - 60 ml 2T oil in 1L of Petrol
- Blades : 80T, 2T & Tap n Go (Nylon Trimmer)

## Specification:

- Brand: HONDA
- Power : 1.2 kw
- Fuel Used : Petrol
- Displacement : 35.8 cc
- Weight (Approx.) : 8 kg
- Model No. : UMK435T U2NT
- Engine Model : GX35
- Engine Type : 4-stroke,
- Over head Cam Single Cylinder
- Displacement : 35.8 cc
- Engine Speed : 7500 RPM
- Maximum Horse Power : 1.2 kW
- Oil Capacity : 0.1 litre
- Starting System : Recoil Starter
- Fuel : Unleaded Gasoline
- Fuel Tank Capacity : 0.63 Litres

## Honda OEM GX35 Brush Cutter



## Honda OEM GX50 Brush Cutter



## Specification:

- Brand: HONDA
- Power : 1.47 kw
- Fuel Used : Petrol
- Displacement : 47.9 cc
- Stroke : 4
- Weight (Approx.) : 9.2 kg
- Model : UMK450T U2NT
- Engine Type : 4-stroke
- Displacement : 47.9 cc
- Power : 1.47 kw (2 hp)
- Speed : 7000 rpm
- Fuel Tank Capacity : 0.63 Litre
- Engine Oil Capacity : 0.13 Litre

## Specification:

- Material : Steel/Engineering Plastics/Iron
- Working Type : Walk Behind (Self Propelled)
- Engine Type : Greaves Cotton
- Engine Power: 5 Hp Diesel
- Fuel Consumption : 700 Ml to 800 Ml/hr
- Field Capacity : 1.2 Acre/ hr
- Minimum Height of Cut : 2 Inch (50 mm)
- Width of Cut : 4 Feet (1200mm)
- Number of Conveyor Belt : 3
- Weight (Approx.) : 225 kg
- Tyre:- 14 X 8
- Blades:- 18 Set

# Power Reaper 5HP Greaves Cotton Engine



# Power Reaper 5HP Honda GX200 Engine

## Specification:

- Material : Steel/Engineering Plastics/Iron
- Working Type : Walk Behind (Self Propelled)
- Engine Type : Honda GX200
- Engine Power: 5.8 Hp Petrol
- Fuel Consumption : 700 to 800 Ml/hr
- Field Capacity : 1.2 Acre/ hr.
- Minimum Height of Cut : 3 Inches
- Width of Cut : 4 Feet (1200mm)
- Number of Conveyor Belt : 2
- Weight (Approx.) : 185 kg
- Tyre : 14 X 8
- Blades:- 18 Set



# Reaper Cum Binder 10HP Greaves Cotton Engine



## Specification:

- Self-Propelled 4-Wheel Drive Reaper Binder
- Engine : 10 HP Air-Cooled Diesel Engine
- Field Capacity : 2 acres per hour
- Starting System : Electric Start
- Machine Weight : 600 kg
- Gear System : 4 Forward + 1 Reverse
- Dimensions : Length : 6 ft Width: 5 ft Height: 4 ft
- Cutting Capacity : Height: Adjustable from 2 inches to 60 inches (5 ft)
- Width : 4 to 5.8 ft
- Lifting process :- Hydraulic
- Fuel Consumption : 700 ml per 2 acres per hour
- Engine Speed : 3000 RPM
- Reaper Binder Speed : 540 RPM

## 2 Stroke Mini Weeder 63CC Engine

### Specification:

- Product Type :- Petrol Power Tiller
- Power :- 2.23Kw (3HP)
- Engine :- 2 Stroke
- Displacement :- 63cc
- Starter system :- Recoil
- Number of Blades :- 16
- Fuel Used :- Petrol
- Fuel Tank :- 1.35L
- Idle speed :- 6500 RPM
- Tilling Width :- 15 inch
- Tilling Depth :- 4inch-7inch
- No. of Gears :- 1 Forward
- Fuel Consumption :- 600 ml/hr
- Oil (Mixing) :- 40 ml(2T) oil/1L of Petrol
- Weight :- 32Kg (Approx)



## 4 Stroke Power Weeder Petrol Engine 170F

### Specification:

- Product Type: Weeder 7HP 170F Petrol Engine
- Model : 170F Petrol Engine
- Product Type : 7hp Petrol Power Weeder
- Displacement : 212 CC
- Fuel : Petrol, Stroke : 4 Stroke
- Shaft : PTO Shaft
- Engine Power : 7 HP
- Rated Power : 4 KW
- Speed : 3600 RPM
- Transmission : Gear Drive
- Gear Shift : 2 Forward , 1 Reverse
- Start Type : Recoil
- Handle Bar System : Up/Down
- Fuel Tank Capacity : 3.6 L
- Fuel Consumption : 600 ml/hr
- Tyre : 4 \* 8 , Weight : 110 Kg (Approx.)



## 4 Stroke Mini Weeder 68CC Engine

### Specification:

- Product Type :- Petrol Power Tiller
- Power :- 2.23Kw (3HP)
- Engine :- 4 Stroke
- Displacement :- 68cc
- Starter system :- Recoil
- Number of Blades :- 16
- Fuel Used :- Petrol
- Fuel Tank :- 1.35L
- Idle speed :- 6500 RPM
- Tilling Width :- 15 inch
- Tilling Depth :- 4inch-7inch
- No. of Gears :- 1 Forward
- Fuel Consumption :- 600 ml/hr
- Weight :- 35Kg (Approx)



## 9Hp Diesel Kama Engine Power Weeder 186FD

### Specification:

- Product Type: 9 Hp Diesel Kama Engine
- Shaft : PTO Shaft
- Engine Power : 9 HP-10 HP
- Displacement : 418 cc
- No. Load Speed : 1800 RPM
- Max. No. Load Speed : 3600 RPM
- Engine Type : 4- Stroke, Single Cylinder
- Starting System : Recoil/ Electric Start
- Transmission : 2 Forward 1 Reverse with PTO Shaft
- Fuel Tank Capacity : 4 L
- Fuel Consumption : 600 ml/hr.
- Engine oil No : (20w40/ 15w40)
- Fuel Used : Diesel
- Tilling Width : 50 Inch (127 cm) Approx
- Tilling Depth : 3 – 8 Inch (7.62~20.32 cm) Approx



## 173F Diesel Engine Power Weeder

### Specification:

- Product Type: 173F Diesel Engine
- Displacement : 247 cc
- Stroke : 4 Stroke
- Shaft : PTO Shaft
- Starting : Manual / Recoil Start
- Engine Model : 173F
- Fuel Type : Diesel
- Displacement : 247 CC
- Speed : 3600 RPM
- Fuel Capacity : 3.6 L
- Fuel Consumption : 550-600 ml/hr
- Tilling Depth : 5 - 8 Inch (12.7-20.32 cm) Approx
- Tilling Width : 40 Inch (101.6 cm) Approx
- Gear Shift : 2 Forward , 1 Reverse
- Weight : 90 Kg (Approx.)



## 170F Petrol Engine Power Weeder Big Gear Box

### Specification:

- Product Type: 7HP 170F Petrol Engine Big Gear Box
- Model : 170F Petrol Engine
- Product Type : 7hp Petrol Power Weeder
- Displacement : 212 CC
- Fuel : Petrol, Stroke : 4 Stroke
- Shaft : PTO Shaft
- Engine Power : 7 HP
- Rated Power : 4 KW
- Speed : 3600 RPM
- Transmission : Gear Drive
- Gear Shift : 2 Forward , 1 Reverse
- Start Type : Recoil
- Handle Bar System : Up/Down
- Fuel Tank Capacity : 3.6 L
- Fuel Consumption : 600 ml/hr
- Tyre : 4 \* 8 , Weight : 110 Kg (Approx.)



## Specification:

- Brand: Generic ( Made in India )
- Material : Mild Steel
- Weight (Approx.) : 75 kg
- Motor Power : 3 HP
- Motor Speed : 2800 RPM
- Cutting Capacity : 400-1200 kg/hr
- Shaft Diameter : 24 mm
- Pulley Diameter : 80 mm
- No. of Blades : 4
- Final Size After Cutting : 10-35 mm
- Machine Feed : Dry Fodder of Bajra,  
• Jowar, Corn, Sugarcane, Barseem, Fresh Grass



## Mini Chaff Cutter With 3Hp Motor

## Mini Chaff Cutter With 3Hp Motor Gear Type

## Specification:

- Product Type:- Chaff Cutter With 3Hp Motor With Gear Type
- Brand: Generic (Imported)
- Material : Mild Steel
- Motor Power : 3 HP
- Motor Speed : 2800 RPM
- Phase : Single
- Capacity : 400-1200 Kgs/hr
- Automation : Fully Automatic
- Shaft Diameter : 24 mm
- Pulley Diameter : 80 mm
- Number of Blades : 4
- Cutting Size : 10-35 mm
- Weight : 80 Kg (Approx.)
- 

